

# Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

## 1. Identification of the substance/mixture and of the company/undertaking

### Product identifier

## BELL SUPER

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

### Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

## 2. Hazards Identification

### Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System, EU (GHS)

Pictogram:



## Signal Word:

Danger

## Hazard Statement:

H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H351	Suspected of causing cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

## Precautionary Statements (Prevention):

P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P271	Use only outdoors or in a well-ventilated area.
P261c	Avoid breathing mist.

## Precautionary Statements (Response):



P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

Hazard determining component(s) for labelling: EPOXICONAZOLE, BOSCALID, 2-ETHYLHEXYL-S-LACTATE

According to Directive 67/548/EEC or 1999/45/EC

## EEC Directives

## Hazard symbol(s)

Xn	Harmful.	
N	Dangerous for the environment.	

## R-phrases(s)

R20	Harmful by inhalation.
R38	Irritating to skin.
R40	Limited evidence of a carcinogenic effect.
R41	Risk of serious damage to eyes.
R62	Possible risk of impaired fertility.
R63	Possible risk of harm to the unborn child.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

S-phrase(s)	
S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S29/35	Do not empty into drains, this material and its container must be disposed of in a safe way.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S46	If swallowed, seek medical advice immediately and show this container or label.
S57	Use appropriate container to avoid environmental contamination.

Hazard determining component(s) for labelling: EPOXICONAZOLE, BOSCALID, 2-ETHYLHEXYL-S-LACTATE

The product contains: 2-ethylhexyl-lactate  
May produce an allergic reaction.

### **Classification of the substance or mixture**

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (Inhalation - mist)  
Eye Dam./Irrit. 1  
Carc. 2  
Repr. 2 (fertility)  
Repr. 2 (unborn child)  
Aquatic Acute 1  
Aquatic Chronic 1

According to Directive 67/548/EEC or 1999/45/EC

Carc. Cat. 3  
(as in Annex I of Directive 67/548/EEC)

Repr. Cat. 3

Possible Hazards:  
Harmful by inhalation.  
Irritating to skin.  
Limited evidence of a carcinogenic effect.  
Risk of serious damage to eyes.  
Possible risk of impaired fertility.  
Possible risk of harm to the unborn child.  
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

For the classifications not written out in full in this section the full text can be found in section 16.

### **Other hazards**

According to Regulation (EC) No 1272/2008 [CLP]

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

Other Hazards (GHS):

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### 3. Composition/Information on Ingredients

#### Mixtures

##### Chemical nature

crop protection product, fungicide, oil, dispersion

##### Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

##### Boscalid

Content (W/W): 13.48 %  
CAS Number: 188425-85-6

Aquatic Chronic 2  
H411

##### Epoxiconazole

Content (W/W): 5.01 %  
CAS Number: 133855-98-8  
EC-Number: 406-850-2  
REACH registration number:  
01-0000015634-70  
INDEX-Number: 613-175-00-9

Carc. 2  
Repr. 2 (fertility)  
Repr. 2 (unborn child)  
Aquatic Chronic 2  
H411, H351, H361fd

##### 2-ethylhexyl-lactate

Content (W/W): < 50 %  
CAS Number: 186817-80-1  
EC-Number: 228-503-2

Skin Corr./Irrit. 2  
Eye Dam./Irrit. 2  
Skin Sens. 1  
H319, H315, H317

##### Benzyl alcohol

Content (W/W): < 25 %  
CAS Number: 100-51-6  
EC-Number: 202-859-9  
REACH registration number:  
01-2119492630-38  
INDEX-Number: 603-057-00-5

Acute Tox. 4 (oral)  
Acute Tox. 4 (Inhalation - mist)  
H332, H302

##### fatty alcohol alkoxyate (polymer; Starting materials listed in EINECS)

Content (W/W): < 20 %

Eye Dam./Irrit. 2  
H319

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

Polyarylphenol ethoxylate		
Content (W/W): < 15 %		Aquatic Chronic 3
CAS Number: 99734-09-5		Aquatic Acute 3 H402, H412
polyaryl ethoxylate		
Content (W/W): < 10 %		Eye Dam./Irrit. 2
		Aquatic Chronic 2 H319, H411
Polyetherphosphate		
Content (W/W): < 10 %		Skin Corr./Irrit. 2
CAS Number: 308336-53-0		Eye Dam./Irrit. 1
		Aquatic Chronic 3 H318, H315, H412
Mixture of alkylbenzenesulfonate		
Content (W/W): < 10 %		Acute Tox. 4 (oral)
		Skin Corr./Irrit. 2
		Eye Dam./Irrit. 2
		H319, H315, H302

Hazardous ingredients

according to Directive 1999/45/EC

## Boscalid

Content (W/W): 13.48 %  
CAS Number: 188425-85-6  
Hazard symbol(s): N  
R-phrases: 51/53

## Epoxiconazole

Content (W/W): 5.01 %  
CAS Number: 133855-98-8  
EC-Number: 406-850-2  
REACH registration number: 01-0000015634-70  
INDEX-Number: 613-175-00-9  
Hazard symbol(s): Xn, N  
R-phrases: 40, 62, 63, 51/53  
Carc. Cat. 3  
Repr. Cat. 3

## 2-ethylhexyl-lactate

Content (W/W): < 50 %  
CAS Number: 186817-80-1  
EC-Number: 228-503-2  
Hazard symbol(s): Xi  
R-phrases: 36/38, 43

**Benzyl alcohol**

Content (W/W): < 25 %  
CAS Number: 100-51-6  
EC-Number: 202-859-9  
REACH registration number: 01-2119492630-38  
INDEX-Number: 603-057-00-5  
Hazard symbol(s): Xn  
R-phrases(s): 20/22

**fatty alcohol alkoxyate (polymer; Starting materials listed in EINECS)**

Content (W/W): < 20 %  
Hazard symbol(s): Xi  
R-phrases(s): 36/38

**Polyarylphenol ethoxylate**

Content (W/W): < 15 %  
CAS Number: 99734-09-5  
R-phrases(s): 52/53

**polyaryl ethoxylate**

Content (W/W): < 10 %  
Hazard symbol(s): Xi, N  
R-phrases(s): 36, 51/53

**Polyetherphosphate**

Content (W/W): < 10 %  
CAS Number: 308336-53-0  
Hazard symbol(s): Xi  
R-phrases(s): 38, 41, 52/53

**Mixture of alkylbenzenesulfonate**

Content (W/W): < 10 %  
Hazard symbol(s): Xn  
R-phrases(s): 22, 36/38

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

---

## 4. First-Aid Measures

### Description of first aid measures

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately inhale corticosteroid dose aerosol.

#### On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

#### On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

### **Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

### **Special hazards arising from the substance or mixture**

carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **6. Accidental Release Measures**

### **Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### **Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Cleaning operations should be carried out only while wearing breathing apparatus. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

**Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

**7. Handling and Storage****Precautions for safe handling**

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

**Conditions for safe storage, including any incompatibilities**

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

**Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

**8. Exposure Controls/Personal Protection****Control parameters**

Components with workplace control parameters

100-51-6: Benzyl alcohol

**Exposure controls**

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).



General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

**9. Physical and Chemical Properties****Information on basic physical and chemical properties**

Form:	liquid	
Colour:	white	
Odour:	faintly aromatic	
Odour threshold:		
pH value:	not determined approx. 3 - 5 (CIPAC standard water D, 1 %(m), 20 °C)	(pH Meter)
Melting point:	approx. -23 °C Information applies to the solvent.	
Boiling point:	approx. 246 °C Information applies to the solvent.	
Flash point:		(ASTM D93)
Evaporation rate:	Non-flammable.	
Flammability:	not applicable	
Lower explosion limit:	not highly flammable	(Directive 92/69/EEC, A.12)
Upper explosion limit:	not determined	
Vapour pressure:	not determined approx. 0.02 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.05 g/cm <sup>3</sup> (20 °C)	(Directive 92/69/EEC, A.3)
Relative vapour density (air):	not determined	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Self ignition:	Temperature: 268 °C Pressure: 1,001 - 1,019 hPa	(Method: Directive 92/69/EEC, A.15)
Thermal decomposition:	90 °C, 10 kJ/kg (DSC (OECD 113)) 215 °C, 20 kJ/kg (DSC (DIN 51007)) 305 °C, 150 kJ/kg (DSC (DIN 51007))	
Viscosity, dynamic:	approx. 65 mPa.s (40 °C, 100 1/s)	(OECD 114)
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)

**Other information**

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

See MSDS section 7 - Handling and storage.

### Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

### Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): 4.84 mg/l 4 h (OECD Guideline 403)

An aerosol with respiratory particles was tested.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

#### Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes slight irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Risk of serious damage to eyes. (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*

*Assessment of carcinogenicity:*

*Indication of possible carcinogenic effect in animal tests.*

*Information on: Boscalid*

*Assessment of carcinogenicity:*

*In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.*

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*

*Assessment of reproduction toxicity:*

*The results of animal studies suggest a fertility impairing effect.*

#### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*

*Assessment of teratogenicity:*

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

*Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*  
-----

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*

*Assessment of repeated dose toxicity:*

*Repeated exposure to large quantities may affect certain organs.*  
-----

#### Other relevant toxicity information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 12.1 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 3.86 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (7 d) > 0.707 mg/l (growth rate), *Lemna gibba* (OECD guideline 221, static)

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).* -----

*Information on: Boscalid*

*Elimination information:*

*0 - 10 % (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (activated sludge, domestic) Not readily biodegradable (by OECD criteria).*  
-----

### **Bioaccumulative potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*  
*Assessment bioaccumulation potential:*  
*Does not accumulate in organisms.*

*Information on: Boscalid*  
*Assessment bioaccumulation potential:*  
*Does not significantly accumulate in organisms.*

-----  
*Information on: Epoxiconazole*  
*Bioaccumulation potential:*  
*Bioconcentration factor: 59 - 70, Oncorhynchus mykiss (OECD-Guideline 305)*  
*Does not accumulate in organisms.*

*Information on: Boscalid*  
*Bioaccumulation potential:*  
*Bioconcentration factor: 57 - 70 (28 d), Oncorhynchus mykiss*  
*Does not accumulate in organisms.*

### **Mobility in soil (and other compartments if available)**

Assessment transport between environmental compartments:  
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Epoxiconazole*  
*Assessment transport between environmental compartments:*  
*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: Boscalid*  
*Assessment transport between environmental compartments:*  
*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

### **Results of PBT and vPvB assessment**

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### **Other adverse effects**

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

### **Additional information**

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## 13. Disposal Considerations

### Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

### Land transport

ADR

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(contains BOSCALID, EPOXICONAZOLE)

RID

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(contains BOSCALID, EPOXICONAZOLE)

### Inland waterway transport

ADN

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(contains BOSCALID, EPOXICONAZOLE)

### Sea transport

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Marine pollutant: YES

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(contains BOSCALID, EPOXICONAZOLE)

**Air transport**

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(contains BOSCALID, EPOXICONAZOLE)

**15. Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

**Chemical Safety Assessment**

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

**16. Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

N	Dangerous for the environment.
Xn	Harmful.
Xi	Irritant.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
40	Limited evidence of a carcinogenic effect.
62	Possible risk of impaired fertility.
63	Possible risk of harm to the unborn child.
36/38	Irritating to eyes and skin.
43	May cause sensitization by skin contact.
20/22	Harmful by inhalation and if swallowed.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
36	Irritating to eyes.
38	Irritating to skin.
41	Risk of serious damage to eyes.
22	Harmful if swallowed.
Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
Carc.	Carcinogenicity

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 05.12.2011

Version: 6.0

Product: **BELL SUPER**

(ID no. 30550951/SDS\_CPA\_EU/EN)

Date of print 06.12.2011

Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Carc. Cat. 3	Carcinogenic substances Category 3: Substances which cause concern for man owing to possible carcinogenic effects.
Repr. Cat. 3	Reprotoxic substances (fertility or development) Category 3: Substances which cause concern for humans owing to possible developmental toxic effects or substances which cause concern for human fertility.
H411	Toxic to aquatic life with long lasting effects.
H351	Suspected of causing cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.