


EU5554 - FRONT INPRINT ITALY




 seven Seven Worldwide Tel: (0044) 191 491777	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 150x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 4 	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	SCP40781 Date: 12/10/05 Issue : B			


EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY




	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA	COLOUR REFERENCES Number of Colours used: 1 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">Process Black</div>	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	SCP40781 Date: 12/10/05 Issue : B	


EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY




 seven Seven Worldwide Tel: (0044) 191 491777	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 1 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">Process Black</div>	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	SCP40781 Date: 12/10/05 Issue : B			


EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY




 seven Seven Worldwide Tel: (0044) 191 491777	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 1 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">Process Black</div>	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	SCP40781 Date: 12/10/05 Issue : B			




EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY




 seven Seven Worldwide Tel: (0044) 191 491777	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 1 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">Process Black</div>	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	SCP40781 Date: 12/10/05 Issue : B			




EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY




  Seven Worldwide Tel: (0044) 191 491777	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 1  SCP40781 Date: 12/10/05 Issue : B	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE


EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY




  Seven Worldwide Tel: (0044) 191 491777	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 1 	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	SCP40781 Date: 12/10/05 Issue : B			



EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY



	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 1 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">Process Black</div>	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	seven Seven Worldwide Tel: (0044) 191 491777	SCP40781 Date: 12/10/05 Issue : B		


**EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL
INPRINT ITALY**





	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA	COLOUR REFERENCES Number of Colours used: 1 	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	SCP40781 Date: 12/10/05 Issue : B	

seven
 Seven Worldwide
 Tel: (0044) 191 4917777

**EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL
INPRINT ITALY**



	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA	COLOUR REFERENCES Number of Colours used: 1 	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	SCP40781 Date: 12/10/05 Issue : B	

seven
 Seven Worldwide
 Tel: (0044) 191 4917777

EU5554 - INNER PAGES AND PAGE GLUED TO BASE LABEL INPRINT ITALY

PAGE 11

4mm

93mm


4mm

5mm

119mm

5mm

129mm



KERB* 500 SC

Må kun anvendes til bekæmpelse af forskellige frøfremspirende græsser, spidkorn, fuglegræs og burresnerre i vinterraps, skorzonnerod til frø, bærbuske ved behandling i selve rækken, skov, læhegn, beplantninger og planteskolekulturer med en maksimal dosering på 1,0 liter pr. ha.


ADVARSEL
For at nedsætte risikoen for mennesker og miljø skal brugsanvisningen følges nøje

Mulighed for kræftfremkaldende effekt (R40).
Meget giftig for organismer, der lever i vand; kan forårsage uønskede langtidsvirkninger i vandmiljøet (R50/53).
Brug særligt arbejdstøj og egnede beskyttelsestøj.
Vask huden efter arbejde.


Vær opmærksom på, at Arbejdstilsynet har regler for anvendelsen. Læs nærmere i den eventuelt lovpålagte leverandørbrugsanvisning samt i Arbejdstilsynets informationsmateriale om bekæmpelsesmidler.
Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf.

Må kun anvendes til bekæmpelse af forskellige frøfremspirende græsser, spidkorn, fuglegræs og burresnerre i vinterraps, skorzonnerod til frø, bærbuske ved behandling i selve rækken, skov, læhegn, beplantninger og planteskolekulturer med en maksimal dosering på 1,0 liter pr. ha. Raps må ikke behandles senere end 4 måneder før høst. Frugtbuske må kun behandles inden blomstring. Opbevares utilgængeligt for børn. Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer. Materialet og dets beholder skal bortskaffes på en sikker måde (se brugsanvisningen).

Førstehjælp:
Ved indtagelse: Fremkald ikke opkastning. Drik store mængder vand og tilkald læge. Bestemmelse om fremkaldelse af opkastning eller ej skal tages af tilsynsførende læge.
Øjenkontakt: Skyl øjnene grundigt med vand i flere minutter. Fjern evt. kontaktlinser efter 1-2 minutter og fortsæt skyllingen i flere minutter. Opsøg lægehjælp hvis irritation vedvarer.
Hudkontakt: Afvask med rindende vand eller under bruser, anvend sæbe, hvis tilgængelig. Opsøg lægehjælp, hvis irritation vedvarer.
Indånding: Flyt patienten ud i frisk luft. Søg lægehjælp.





Sundhedsskadelig
Ukrudsmiddel 64-59
Omfattet af Miljøministeriets bekendtgørelse om bekæmpelsesmidler.
Analys:
Progylamid 500 g/l (42.7% w/w)
Indhold 3 liter



Miljøfarlig

3 L

Dow AgroSciences Danmark A/S
Sorgenfrivej 15, 2800 Kgs. Lyngby - Tlf. 45 28 08 00
www.dowagro.dk

  <small>Seven Worldwide Tel: (0044) 191 491777</small>	Package MID : 199120/08 Trade Name : KERB 500 SC Country : DENMARK Region : NORDIC Size : 129x93mm Artwork Type : 3L INSEAL LEAFLET LABEL Label Support : LEAFLET LABEL	Specification : EU 5554 Standardisation Level : LEVEL 3 Printer : INPRINT ITALY Packing Location : MOZZANICA Level 70 Code : 00000000 AW Co-ordinator Code : EUNOR3 Operator Initials : BA	COLOUR REFERENCES Number of Colours used: 4 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="background-color: cyan; padding: 2px 5px; font-size: 8pt;">Process Cyan</div> <div style="background-color: magenta; padding: 2px 5px; font-size: 8pt;">Process Magenta</div> <div style="background-color: yellow; padding: 2px 5px; font-size: 8pt;">Process Yellow</div> <div style="background-color: black; padding: 2px 5px; font-size: 8pt;">Process Black</div> </div>	QUALITY CHECK <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/> DIGITAL PAGE <input type="checkbox"/> DOCU PAGE
	SCP40781 Date: 12/10/05 Issue : B			